

Quote # Click or tap here to enter text.

MR-15 Overview:

The MR Series is a robust vibratory bowl finishing machine built to handle continuous duty operation. Hammond Roto-Finish's proven welded-construction design was reimagined in 2011 to simplify manufacturing without sacrificing durability. The MR Series combines that innovative design with high-end features.

The MR-15 is available in four models; Manual, Semi-Auto, Automatic, and Accelerated Chemistry. General machine data and features are laid out below.



Machine Features:

Max operating capacity 15.0ft³ (424 L)

Heavy-duty 3/16" (4.75mm) welded construction

1600 Douglas Avenue
(269) 345-7151• Kalamazoo, Michigan 49007
www.hammondroto.com



Main bowl construction component is a pressure vessel tank head U shaped process channel with textured, straight wall polyurethane lining Polyurethane lining is a minimum 5/8" (15.5mm) thick, with 50% additional in high wear areas Bowl is suspended on heavy duty coil springs solid, 1/16" (1.5mm), 1/8" (3mm) & 1/4" (6.5mm) slots Two (2) sets of pop-in drains: Parts separation system with pneumatically operated gate **3/4" (20mm)** & 1 ¼" (32mm) openings One (1) set of urethane-coated separation screens: Water-driven compound system – mixes between 0% and 5% concentration 19 mm socket included for changing eccentric weights Integrated lifting eyes Grease lubrication Available voltages: 230 VAC / 460VAC, 3ph, 60hz (denotes factory installed – unless specified on order)

MR-15 Specifications and Dimensions: Drawings: MR-15M, MR-15S, MR-15A, MR-15C 62.74 P 43.98 70.76 APPROX. 00 0+0 DISCHARGE 53.48 PARTS DISCHARGE HEIGHT 4" POP-IN DRAINS ø61.25 "B" INSIDE Utilities: Bowl Power FLA Maximum Drain Shipping Maximum Average (230V/460V) Working Weight Water Flow Flow Rate Volume Rate Pressure 22 15.0 ft³ English 7.5 hp 1730 lbs 35 psi 4 to 40 gal/hr gal/hr (2) 20.4 / 10.2 2" NPT 5.59 15 to 151 Metric 425 L 785 kg 2.4 bar 83 L/hr kW L/hr

(269) 345 - 7151

Kalamazoo, Michigan 49007

www.hammondroto.com

1600 Douglas Avenue (269)345-7151 • Kalamazoo, Michigan 49007 www.hammondroto.com

Manual Model: MR-15M

Semi-Auto Model: MR-15S

This is the baseline machine model. It features the shut off timer and pneumatically operated gate on the control panel. It can be upgraded to include a VFD.

VFD Upgrade Price

This model delivers automation to the MR-15. In addition to the pneumatic gate, it features a PLC with HMI, VFD, and a swinging top eccentric weight. These features work together to automatically process and unload parts from a single Cycle Start button push.

□ Accelerated Chemistry Model: MR-15C

This model builds on the MR-15A. In addition to the automatic processing and unloading, it features a second, electric compound pump, part recipe selection from the HMI, and acid proof construction. These features are required in a machine that produces the high luster finishes generated from accelerated chemistry processes.

This is the baseline machine model. It features manual controls for both motor start and the pneumatically operated gate.

Hammond CFINISH

□ Automatic Model: MR-15A

\$ 2,450.00 USD

\$ 58,250.00 USD

\$ 59,850.00 USD

\$44,250.00 USD

\$ 39,525.00 USD



ommon MR-15 Options: USD		D
Description	MR-15S/A/C	MR-15FB
□ Special Voltage □ 208VAC / □ 575VAC	\$ 1,280.00	
Automatic Grease Lubricator	\$ 1,900.00	
End of Cycle Light ²	\$ 390.00	
RYG Stack Light (A and C models only) ²	\$ 650.00	N/A
□ PVC Coated Wire Mesh Screen (specify size)	\$ 590.00	N/A
Specialty Screen	POR	N/A
Media Diverter	POR	N/A
Specialty Drain	POR	
Pneumatic Closable Drain	\$1,950.00	
□ Specialty Urethane Lining	POR	
Outer curve wall "kicker"	\$1,350.00	
Unload Plug 4" Opening	\$2,000.00	
Media Classification: includes urethane-coated screen with 1/4" openings	\$ 2,600.00	N/A
Presentation Deck: For use with magnetic separation	POR	N/A
Specialty Media Classification Screen ¹	POR	N/A
□ Screen-deck mounted Rinse Bar ²	\$ 1,225.00	N/A
□ Screen-deck mounted Air Knife ²	\$ 1,780.00	N/A
Settling Tank: 30 gal (110 L) cap. with center baffle ³		
Painted Steel	\$ 750.00	
Stainless Steel	\$ 1,650.00	
Lift Station: 30 gal (110 L) cap. with center baffle, pumps 100ft (30m) horizontally ⁴		
Painted Steel	\$ 4,395.00	
Stainless Steel	\$ 5,350.00	
□ Bolt-On Flexible Fabric Noise Cover ⁵	\$ 1,650.00	
□ Hanging Flexible Fabric Noise Cover ⁵	\$ 1,750.00	
Base Riser 2" to 24" (2" increments) Higher POR	\$ 2,780.00	
Special Paint	\$ 870.00	
Factory Run Off	\$ 1,290.00	

¹ = Depends on the option above	² = Pick only one from the set
Select either only Item ³ or Item ⁴	⁵ = Pick only one from the set

1600 Douglas Avenue
(269) 345-7151• Kalamazoo, Michigan 49007
www.hammondroto.com